



Patient presents with *low back pain*

A simple guide to assessment, management and when to refer.



SCREEN FOR RED FLAGS

CAUDA EQUINA SYNDROME



- Saddle anaesthesia
- Urinary retention/incontinence
- Faecal incontinence
- Bilateral leg weakness

SUSPECTED SPINAL INFECTION



- Fever
- IV drug use
- Immunosuppression
- Severe constant pain

SUSPECTED MALIGNANCY



- Previous cancer
- Weight loss
- Night pain

FRACTURE



- Major trauma
- Osteoporosis
- Long-term steroids



IF ANY RED FLAG IS PRESENT:

Immediate Emergency Department / Orthopaedic or Neurosurgical referral



LOOK FOR FEATURES OF INFLAMMATORY BACK PAIN

REFER TO A RHEUMATOLOGIST IF ≥ 4 OF THE FOLLOWING ARE PRESENT:

Onset before 45 years



Insidious onset



Pain lasting >3 months



Morning stiffness >30 minutes



Improves with exercise



Does not improve with rest



Night pain improving after getting up



PLUS ANY OF THE FOLLOWING:



Psoriasis



Uveitis



Inflammatory bowel disease



Enthesitis



Dactylitis



Family history of spondyloarthritis



Elevated CRP/ESR



Positive HLA-B27



INVESTIGATIONS BEFORE REFERRAL

RECOMMENDED:



ESR



CRP



Full blood count



Renal & liver function



HLA-B27 (if inflammatory back pain suspected)



Pelvic X-ray (SI joints) if available



MRI SI joints if readily accessible (do not delay referral waiting for MRI)



Early recognition of inflammatory back pain can prevent delay in diagnosis and reduce long-term impact.



NO RED FLAGS

Likely mechanical low back pain



RED FLAGS PRESENT

Requires urgent assessment / referral



NO RED FLAGS

MECHANICAL LOW BACK PAIN



- Pain worse with activity
- Improves with rest
- No neurological deficit

GP MANAGEMENT



Patient education



Stay active



NSAIDs (if appropriate)



Physiotherapy



Review in 2-6 weeks



PERSISTENT SYMPTOMS (>6 WEEKS) OR DIAGNOSTIC UNCERTAINTY

Consider referral if:

- Persistent disabling pain
- Failure of conservative treatment
- Recurrent episodes affecting function



URGENT RHEUMATOLOGY REFERRAL

REFER URGENTLY IF:



Rapidly progressive inflammatory back pain



Acute anterior uveitis with inflammatory back pain



Suspected systemic inflammatory disease



Markedly elevated inflammatory markers with inflammatory symptoms



ROUTINE RHEUMATOLOGY REFERRAL

REFER FOR:



Suspected axial spondyloarthritis



Persistent inflammatory back pain despite NSAIDs



Diagnostic uncertainty



Requirement for biologic therapy assessment

Dr. Ramani Rheumatology Clinic | KUALA LUMPUR



Dr. Ramani Rheumatology Clinic

LOW BACK PAIN ASSESSMENT & REFERRAL GUIDE

Phone / WhatsApp

+60 11 4579 8121

Website

drramani.co

General educational information. Seek urgent medical attention when red flags are present.

SCAN TO VISIT
DRRAMANI.CO

